

# MATERIAL SAFETY DATA SHEET



Conductivity Standard 0.01 Molar (1,413 µmhos)

## SECTION 1 . Product and Company Identification

Product Name and Synonym: Conductivity Standard 0.01 Molar (1,413 µmhos)

Product Code: 6920

Material Uses:

Manufacturer: Aqua Solutions, Inc  
6913 Hwy 225

Deer Park, TX 77536

(281) 479-2569

Entry Date : 12/2/2014

Print Date: 12/2/2014

24 Hour Emergency Assistance : Chemtrec 800-424-9300  
Canutec 613-996-6666

Health:	1
Flammability:	0
Reactivity:	0

Hazard Rating:  
Least Slight Moderate High Extreme  
0 1 2 3 4

NA=Not Applicable NE=Not Established

## SECTION 2 HAZARD IDENTIFICATION

Generally not hazardous in normal handling, however good laboratory practices should always be used. Avoid long term exposure to skin or by inhalation.

## SECTION 3 MIXTURE COMPONENTS

SARA 313	Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
<input type="checkbox"/>	Potassium Chloride	CAS# 7447-40-7	<1%	W/V	None Established
<input type="checkbox"/>	Water, Deionized ASTM Type II	CAS# 7732-18-5	Balance	V/V	None Established

## SECTION 4 FIRST AID MEASURES

Generally not hazardous in normal handling, however good laboratory practices should always be used. Avoid long term exposure to skin or by inhalation.

FIRST AID: SKIN: Wash exposed area with soap and water. If irritation persists, seek medical attention.

EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION: Give several glasses of milk or water. Vomiting may occur spontaneously, but DO NOT INDUCE! Never give anything by mouth to an unconscious person.

## SECTION 5 FIRE FIGHTING MEASURES

Fire Extinguisher Type: Any means suitable for extinguishing surrounding fire

Fire / Explosion Hazards: None

Fire Fighting Procedure: Use any means suitable for extinguishing surrounding fire. Use water spray cool fire exposed containers.

Conductivity Standard 0.01 Molar (1,413 µmhos)

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Absorb spill with inert material. Flush excess down drain.

**SECTION 7 HANDLING AND STORAGE**

This Material is not considered hazardous. Handle using safe laboratory practices.

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

Respiratory Protection: None required  
Ventilation  
Local Exhaust   
Mechanical   
Protective Gloves: Wear appropriate gloves to prevent skin exposure  
Eye Protection: Safety Glasses  
w/Side Shields  
Other Protective Equipment: None required

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Melting Point:	~0° C	Percent Volatile by Volume:	>99%
Boiling Point:	~100° C	Evaporation Rate	N/A
Vapor Pressure:	N/E	Evaporation Standard	Not Applicable
Vapor Density:	information not available	Auto Ignition Temp	N/A
Solubility in Water:	Soluble	Lower Flamm. Limit in Air	N/A
Appearance /Odors:	Clear water white / no odor	Upper Flamm. Limit in Air	N/A
Flash Point:	N/A		
Specific Gravity:	1		

**SECTION 10 STABILITY AND REACTIVITY INFORMATION**

Stability: Stable  
Conditions to Avoid: Protect from freezing.  
Materials to Avoid: None  
Hazardous Decomposition Products: Not known to occur.  
Hazardous polymerization: Will Not Occur  
Conditions to Avoid: None known

**SECTION 11 Toxicological Information**

**SECTION 12 Ecological Information**

**SECTION 13 Disposal Considerations**

**SECTION 14 Transport Information**

Conductivity Standard 0.01 Molar (1,413 µmhos)

DOT Classification: Not Regulated

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

**SECTION 15 Regulatory Information**

**SECTION 16 Additional Information**

Conditions aggravated/target organs: Persons with preexisting skin, eye or respiratory disorders may be more susceptible. Acute: Essentially non-hazardous. Possible eye and digestive tract irritation. Chronic: None known.

Flammability

Health

Reactivity

Revisions

NFPA

0.1

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material can be used safely.