

MATERIAL SAFETY DATA SHEET

Conductivity Standard

SECTION 1 . Product and Company Identification

Product Name and Synonym: Conductivity Standard
Product Code: 6934
Material Uses:
Manufacturer: Aqua Solutions, Inc
6913 Hwy 225
Deer Park, TX 77536
(281) 479-2569
Entry Date : 12/1/2014
Print Date: 12/1/2014
24 Hour Emergency Assistance : Chemtrec 800-424-9300
Canutec 613-996-6666

Health:	1
Flammability:	0
Reactivity:	0
Hazard Rating: Least Slight Moderate High Extreme 0 1 2 3 4	
NA=Not Applicable NE=Not Established	

SECTION 2 HAZARD IDENTIFICATION

Generally not hazardous in normal handling, however good laboratory practices should always be used. Avoid long term exposure to skin or by inhalation.

SECTION 3 MIXTURE COMPONENTS

SARA 313	Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
<input type="checkbox"/>	Potassium Chloride	CAS# 7447-40-7	<2%	W/V	None Established
<input type="checkbox"/>	Water, Deionized ASTM Type II	CAS# 7732-18-5	Balance	V/V	None Established

SECTION 4 FIRST AID MEASURES

Generally not hazardous in normal handling, however good laboratory practices should always be used. Avoid long term exposure to skin or by inhalation.

FIRST AID: SKIN: Wash exposed area with soap and water. If irritation persists, seek medical attention.

EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION: Give several glasses of milk or water. Vomiting may occur spontaneously, but DO NOT INDUCE! Never give anything by mouth to an unconscious person.

SECTION 5 FIRE FIGHTING MEASURES

Fire Extinguisher Type: Any means suitable for extinguishing surrounding fire
Fire / Explosion Hazards: None
Fire Fighting Procedure: Use any means suitable for extinguishing surrounding fire. Use water spray cool fire exposed containers.

Conductivity Standard

SECTION 6 ACCIDENTAL RELEASE MEASURES

Absorb spill with inert material. Flush excess down drain.

SECTION 7 HANDLING AND STORAGE

This Material is not considered hazardous. Handle using safe laboratory practices.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: None required
Ventilation
Local Exhaust
Mechanical
Protective Gloves: Gloves to prevent skin exposure as rubber or vinyl
Eye Protection: Safety Glasses
Other Protective Equipment: None required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Melting Point:	Information not avai	Percent Volatile by Volume:	>99%
Boiling Point:	100 Deg. C	Evaporation Rate	Information not available
Vapor Pressure:	Information not available	Evaporation Standard	
Vapor Density:	Information not available	Auto Ignition Temp	Not applicable
Solubility in Water:	Soluble	Lower Flamm. Limit in Air	Not applicable
Appearance /Odors:	Clear water white/no odor	Upper Flamm. Limit in Air	Not applicable
Flash Point:	None		
Specific Gravity:	1		

SECTION 10 STABILITY AND REACTIVITY INFORMATION

Stability: Stable
Conditions to Avoid: None known
Materials to Avoid: None known
Hazardous Decomposition Products: Not known to occur.
Hazardous polymerization: Will Not Occur
Conditions to Avoid: None known

SECTION 11 Toxicological Information

SECTION 12 Ecological Information

SECTION 13 Disposal Considerations

Conductivity Standard

SECTION 14 **Transport Information**

DOT Classification: Not Regulated

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

SECTION 15 **Regulatory Information**

SECTION 16 **Additional Information**

Overexposure symptoms. Acute: Essentially non-hazardous. Possible irritation of eyes/stomach. Chronic: None known. Conditions aggravated/Target organs: none known.

Flammability

Health

Reactivity

Revisions

NFPA

0.1

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material can be used safely.